

ULR:TC515026000014149F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Keva Fragrances Private Limited
 C-104 and C-104/1 MIDC Mahad, Behind MIDC FIRE Station,
 Mahad MAHAD Raigad Maharashtra 402309,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/06/BSM(26-27-0391)

REPORT DATE : 12/06/2026

CUSTOMER REF : 4350005580

SAMPLE TYPE: Boiler Stack

SAMPLE REGISTRATION NO. : 06/BSM(26-27-0391)

SAMPLING PLAN & METHOD NO: As Per Reference Method

SAMPLING DATE : 05/06/2026

SAMPLING TIME : 14:20:00

ANALYSIS START DATE : 07/06/2026

ANALYSIS COMPLETE DATE : 11/06/2026

LOCATION : Boiler Stack (6.3TPM)

SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)

STACK HEIGHT FROM GL : 30 Meters

SHAPE OF STACK : Round

MATERIAL OF STACK : MS

FUEL USED(CONSUMPTION) : Briquette

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	1.2	NA	-
2	C/s area of Stack	m ²	1.131	NA	-
3	Temperature	°C	125	NA	IS 11255 (Part 1)-1985
4	Velocity	m/s	7.3	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	22256.2	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	33.50	50	IS 11255 (Part 1)- 1985
7	Sulphur Dioxide	Kg/Day	10.51	NS	IS 11255 (Part 2)-1985
8	Sulphur Dioxide	mg/Nm ³	19.68	NS	IS 11255 (Part 2)-1985
9	Carbon Monoxide	ppm	44.5	NS	EPA Method No.10- 2017
10	Nitrogen Oxides	mg/Nm ³	42.30	NS	IS : 11255, (Part 7)
11	Nitrogen Oxides	ppm	20.6	NS	IS 11255 (Part 7)

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per MPCB consent

Note : NA

Analyzed By


 Kavita Baviskar
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Keva Fragrances Private Limited
C-104 and C-104/1 MIDC Mahad, , Behind MIDC FIRE Station,
Mahad MAHAD Raigad Maharashtra 402309,
Maharashtra

REPORT NO : SAL/MSP19/FM02/06/BSM(26-27-0391)

REPORT DATE : 12/06/2026

CUSTOMER REF : 4350005580

SAMPLE TYPE: Boiler Stack

SAMPLE REGISTRATION NO. :	06/BSM(26-27-0391)	LOCATION :	Boiler Stack (6.3TPH)
SAMPLING PLAN & METHOD NO.:	As Per Reference Method	SAMPLE COLLECTED BY :	Mr. Pramod Sudokar (Skylab)
SAMPLING DATE :	05/06/2026	STACK HEIGHT FROM GL :	30 Meters
SAMPLING TIME :	14:20:00	SHAPE OF STACK :	Round
ANALYSIS START DATE :	07/06/2026	MATERIAL OF STACK :	MS
ANALYSIS COMPLETE DATE :	11/06/2026	FUEL USED(CONSUMPTION) :	Briquette

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Sulphur	%	0.0018	1	

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per MPCB consent

Note : NA

Analyzed By

Kavita B

Kavita Baviskar

Sr Analyst

For SKYLAB ANALYTICAL LABORATORY



Dr. Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515026000014153F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Keva Fragrances Private Limited
 C-104 and C-104/1 MIDC Mahad, Behind MIDC FIRE Station,
 Mahad MAHAD Raigad Maharashtra 402309,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/06/SM(26-27-0392)

REPORT DATE : 12/06/2026

CUSTOMER REF : 4350005580

SAMPLE TYPE: Stack Emission

SAMPLE REGISTRATION NO. : 06/SM(26-27-0392)	LOCATION : TFH Heater (10 Lac kcal/hr)
SAMPLING PLAN & METHOD NO: As Per Reference Method	SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)
SAMPLING DATE : 05/06/2026	STACK HEIGHT FROM GL : 35 Meters
SAMPLING TIME : 14:40:00	SHAPE OF STACK : Round
ANALYSIS START DATE : 07/06/2026	MATERIAL OF STACK : MS
ANALYSIS COMPLETE DATE : 11/06/2026	FUEL USED(CONSUMPTION) : LSHS (119 Kg/Hr.)

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	1.5	NA	-
2	C/s area of Stack	m ²	1.767	NA	-
3	Temperature	°C	135	NA	IS 11255 (Part 1)-1985
4	Velocity	m/s	7.7	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	35789.9	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	37.60	50	IS 11255 (Part 1)- 1985
7	Sulphur Dioxide	Kg/Day	23.67	NS	IS 11255 (Part 2)-1985
8	Sulphur Dioxide	mg/Nm ³	27.56	NS	IS 11255 (Part 2)-1985
9	Nitrogen Oxides	ppm	30.3	NS	IS 11255 (Part 7)
10	Nitrogen Oxides	mg/Nm ³	62.30	NS	IS : 11255, (Part 7)

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per MPCB consent


Note : NA

Analyzed By


Kavita Baviskar
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY



Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Keva Fragrances Private Limited
C-104 and C-104/1 MIDC Mahad, , Behind MIDC FIRE Station,
Mahad MAHAD Raigad Maharashtra 402309,
Maharashtra

REPORT NO : SAL/MSP19/FM02/06/SM(26-27-0392)

REPORT DATE : 12/06/2026

CUSTOMER REF : 4350005580

SAMPLE TYPE: Stack Emission

SAMPLE REGISTRATION NO. : 06/SM(26-27-0392)	LOCATION : TFH Heater (10 Lac kcal/hr)
SAMPLING PLAN & METHOD NO: As Per Reference Method	SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)
SAMPLING DATE : 05/06/2026	STACK HEIGHT FROM GL : 35 Meters
SAMPLING TIME : 14:40:00	SHAPE OF STACK : Round
ANALYSIS START DATE : 07/06/2026	MATERIAL OF STACK : MS
ANALYSIS COMPLETE DATE : 11/06/2026	FUEL USED(CONSUMPTION) : LSHS (119 Kg/Hr.)

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Sulphur	%	0.0025	1	

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per MPCB consent

Note : NA


Analyzed By

Kavita

Kavita Baviskar

Sr Analyst

For SKYLAB ANALYTICAL LABORATORY



Dr. Datta Mandhare
(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Keva Fragrances Private Limited
 C-104 and C-104/1 MIDC Mahad, Behind MIDC FIRE Station,
 Mahad MAHAD Raigad Maharashtra 402309,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/06/DSM(26-27-0389)

REPORT DATE : 12/06/2026

CUSTOMER REF : 4350005580

SAMPLE TYPE: DG Stack

SAMPLE REGISTRATION NO. :	06/DSM(26-27-0389)	LOCATION :	D. G. Stack 1 (500 KVA)
SAMPLING PLAN & METHOD NO.:	As Per Reference Method	SAMPLE COLLECTED BY :	Mr. Pramod Sudokar (Skylab)
SAMPLING DATE :	05/06/2026	STACK HEIGHT FROM GL :	11 Meters
SAMPLING TIME :	13:30:00	SHAPE OF STACK :	Round
ANALYSIS START DATE :	07/06/2026	MATERIAL OF STACK :	MS
ANALYSIS COMPLETE DATE :	11/06/2026	FUEL USED(CONSUMPTION) :	HSD (112 Lit/hr)

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.4	NA	-
2	C/s area of Stack	m ²	0.126	NA	-
3	Temperature	°C	125	NA	IS 11255 (Part 1)-1985
4	Velocity	m/s	8.5	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	2896.5	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	19.20	50	IS 11255 (Part 1)- 1985
7	Sulphur Dioxide	Kg/Day	1.64	17.92	IS 11255 (Part 2)-1985
8	Sulphur Dioxide	mg/Nm ³	23.62	NS	IS 11255 (Part 2)-1985
9	Nitrogen Oxides	ppm	17.8	NS	IS 11255 (Part 7)- 2005
10	Nitrogen Oxides	mg/Nm ³	36.50	NS	IS : 11255, (Part 7)
11	Carbon Monoxide	mg/Nm ³	31.50	NS	EPA Method NO.10- 2017

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per MPCB consent


Note : NA

Analyzed By


Kavita Baviskar
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Keva Fragrances Private Limited
C-104 and C-104/1 MIDC Mahad, Behind MIDC FIRE Station,
Mahad MAHAD Raigad Maharashtra 402309,
Maharashtra

REPORT NO : SAL/MSP19/FM02/06/DSM(26-27-0389)

REPORT DATE : 12/06/2026

CUSTOMER REF : 4350005580

SAMPLE TYPE: DG Stack

SAMPLE REGISTRATION NO. : 06/DSM(26-27-0389)	LOCATION : D. G. Stack 1 (500 KVA)
SAMPLING PLAN & METHOD NO: As Per Reference Method	SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)
SAMPLING DATE : 05/06/2026	STACK HEIGHT FROM GL : 11 Meters
SAMPLING TIME : 13:30:00	SHAPE OF STACK : Round
ANALYSIS START DATE : 07/06/2026	MATERIAL OF STACK : MS
ANALYSIS COMPLETE DATE : 11/06/2026	FUEL USED(CONSUMPTION) : HSD (112 Lit/hr)

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Sulphur	%	0.008	1	
2	Hydrocarbon	mg/Nm3	38.60	NS	Instrumental

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per MPCB consent

Note : NA

Analyzed By

Kavita B

Kavita Baviskar

Sr Analyst

For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare

Dr. Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515026000014155F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Keva Fragrances Private Limited
 C-104 and C-104/1 MIDC Mahad, , Behind MIDC FIRE Station,
 Mahad MAHAD Raigad Maharashtra 402309,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/06/DSM(26-27-0390)

REPORT DATE : 12/06/2026

CUSTOMER REF : 4350005580

SAMPLE TYPE: DG Stack

SAMPLE REGISTRATION NO. : 06/DSM(26-27-0390)	LOCATION : D. G. Stack 2 (500 KVA)
SAMPLING PLAN & METHOD NO: As Per Reference Method	SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)
SAMPLING DATE : 05/06/2026	STACK HEIGHT FROM GL : 11 Meters
SAMPLING TIME : 13:40:00	SHAPE OF STACK : Round
ANALYSIS START DATE : 07/06/2026	MATERIAL OF STACK : MS
ANALYSIS COMPLETE DATE : 11/06/2026	FUEL USED(CONSUMPTION) : HSD (112 Lit/hr)

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.4	NA	-
2	C/s area of Stack	m ²	0.126	NA	-
3	Temperature	°C	128	NA	IS 11255 (Part 1)-1985
4	Velocity	m/s	8.5	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	2855.4	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	20.70	50	IS 11255 (Part 1)- 1985
7	Sulphur Dioxide	mg/Nm ³	35.43	NS	IS 11255 (Part 2)-1985
8	Sulphur Dioxide	Kg/Day	2.43	17.92	IS 11255 (Part 2)-1985
9	Nitrogen Oxides	mg/Nm ³	36.40	NS	IS : 11255, (Part 7)
10	Nitrogen Oxides	ppm	17.7	NS	IS 11255 (Part 7)- 2005
11	Carbon Monoxide	mg/Nm ³	30.40	NS	EPA Method NO.10- 2017

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per MPCB consent

Note : NA

Analyzed By


 Kavita Baviskar
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Keva Fragrances Private Limited
 C-104 and C-104/1 MIDC Mahad, , Behind MIDC FIRE Station,
 Mahad MAHAD Raigad Maharashtra 402309,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/06/DSM(26-27-0390)

REPORT DATE : 12/06/2026

CUSTOMER REF : 4350005580

SAMPLE TYPE: DG Stack

SAMPLE REGISTRATION NO. : 06/DSM(26-27-0390)	LOCATION : D. G. Stack 2 (500 KVA)
SAMPLING PLAN & METHOD NO: As Per Reference Method	SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)
SAMPLING DATE : 05/06/2026	STACK HEIGHT FROM GL : 11 Meters
SAMPLING TIME : 13:40:00	SHAPE OF STACK : Round
ANALYSIS START DATE : 07/06/2026	MATERIAL OF STACK : MS
ANALYSIS COMPLETE DATE : 11/06/2026	FUEL USED(CONSUMPTION) : HSD (112 Lit/hr)

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Sulphur	%	0.005	1	
2	Hydrocarbon	mg/Nm3	54.50	NS	Instrumental

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per MPCB consent

Note : NA

Analyzed By

For SKYLAB ANALYTICAL LABORATORY


 Kavita Baviskar
 Sr Analyst


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Keva Fragrances Private Limited
C-104 and C-104/1 MIDC Mahad, , Behind MIDC FIRE Station,
Mahad MAHAD Raigad Maharashtra 402309,
Maharashtra

REPORT NO : SAL/MSP19/FM02/06/SSM(26-27-0393)

REPORT DATE : 12/06/2026

CUSTOMER REF : 4350005580

SAMPLE TYPE: Scrubber Stack

SAMPLE REGISTRATION NO. : 06/SSM(26-27-0393)	LOCATION : Caustic Scrubber for HCL
SAMPLING PLAN & METHOD NO: As Per Reference Method	SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)
SAMPLING DATE : 05/06/2026	STACK HEIGHT FROM GL : 3 Meters
SAMPLING TIME : 15:15:00	SHAPE OF STACK : Round
ANALYSIS START DATE : 07/06/2026	MATERIAL OF STACK : PVDF-FRP
ANALYSIS COMPLETE DATE : 11/06/2026	FUEL USED(CONSUMPTION) : NA

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.3	NA	-
2	C/s area of Stack	m ²	0.071	NA	-
3	Temperature	°C	50	NA	IS 11255 (Part 1)-1985
4	Velocity	m/s	6.3	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	1476.4	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	28.40	NS	IS 11255 (Part 1)- 1985

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per MPCB consent

Note : NA

Analyzed By

Kavita B


Kavita Baviskar

Sr Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY



Dr.Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Keva Fragrances Private Limited
 C-104 and C-104/1 MIDC Mahad, , Behind MIDC FIRE Station,
 Mahad MAHAD Raigad Maharashtra 402309,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/06/SSM(26-27-0393)

REPORT DATE : 12/06/2026

CUSTOMER REF : 4350005580

SAMPLE TYPE: Scrubber Stack

SAMPLE REGISTRATION NO. : 06/SSM(26-27-0393)	LOCATION : Caustic Scrubber for HCL
SAMPLING PLAN & METHOD NO: As Per Reference Method	SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)
SAMPLING DATE : 05/06/2026	STACK HEIGHT FROM GL : 3 Meters
SAMPLING TIME : 15:15:00	SHAPE OF STACK : Round
ANALYSIS START DATE : 07/06/2026	MATERIAL OF STACK : PVDF-FRP
ANALYSIS COMPLETE DATE : 11/06/2026	FUEL USED(CONSUMPTION) : NA

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Hydrogen Chloride (HCL)	ppm	6.5	35	EPA method 26a

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per MPCB consent

Note : NA

Analyzed By

For SKYLAB ANALYTICAL LABORATORY


 Kavita Baviskar
 Sr Analyst


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Keva Fragrances Private Limited
C-104 and C-104/1 MIDC Mahad, , Behind MIDC FIRE Station,
Mahad MAHAD Raigad Maharashtra 402309,
Maharashtra

REPORT NO : SAL/MSP19/FM02/06/SSM(26-27-0394)

REPORT DATE : 12/06/2026

CUSTOMER REF : 4350005580

SAMPLE TYPE: Scrubber Stack

SAMPLE REGISTRATION NO. : 06/SSM(26-27-0394)

SAMPLING PLAN & METHOD NO: As Per Reference Method

SAMPLING DATE : 05/06/2026

SAMPLING TIME : 15:30:00

ANALYSIS START DATE : 07/06/2026

ANALYSIS COMPLETE DATE : 11/06/2026

LOCATION : Scrubber for HCL,C501A

SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)

STACK HEIGHT FROM GL : 3 Meters

SHAPE OF STACK : Round

MATERIAL OF STACK : PVDF-FRP

FUEL USED(CONSUMPTION) : NA

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.3	NA	-
2	C/s area of Stack	m ²	0.071	NA	-
3	Temperature	°C	45	NA	IS 11255 (Part 1)-1985
4	Velocity	m/s	6.5	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	1556.2	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	21.50	NS	IS 11255 (Part 1)- 1985

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per MPCB consent

Note : NA

Analyzed By

Kavita
Kavita Baviskar
Sr Analyst



For SKYLAB ANALYTICAL LABORATORY

Dr. Datta
Dr. Datta Mandhare
(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Keva Fragrances Private Limited
C-104 and C-104/1 MIDC Mahad, Behind MIDC FIRE Station,
Mahad MAHAD Raigad Maharashtra 402309,
Maharashtra

REPORT NO : SAL/MSP19/FM02/06/SSM(26-27-0394)

REPORT DATE : 12/06/2026

CUSTOMER REF : 4350005580

SAMPLE TYPE: Scrubber Stack

SAMPLE REGISTRATION NO. : 06/SSM(26-27-0394)	LOCATION : Scrubber for HCL, C501A
SAMPLING PLAN & METHOD NO: As Per Reference Method	SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)
SAMPLING DATE : 05/06/2026	STACK HEIGHT FROM GL : 3 Meters
SAMPLING TIME : 15:30:00	SHAPE OF STACK : Round
ANALYSIS START DATE : 07/06/2026	MATERIAL OF STACK : PVDF-FRP
ANALYSIS COMPLETE DATE : 11/06/2026	FUEL USED(CONSUMPTION) : NA

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Hydrogen Chloride (HCL)	ppm	5.7	35	EPA method 26a

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per MPCB consent

Note : NA

Analyzed By

Kavita B
Kavita Baviskar
Sr Analyst

For SKYLAB ANALYTICAL LABORATORY

Dr. Datta
Dr. Datta Mandhare
(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Keva Fragrances Private Limited
C-104 and C-104/1 MIDC Mahad, , Behind MIDC FIRE Station,
Mahad MAHAD Raigad Maharashtra 402309,
Maharashtra

REPORT NO : SAL/MSP19/FM02/06/SSM(26-27-0395)

REPORT DATE : 12/06/2026

CUSTOMER REF : 4350005580

SAMPLE TYPE: Scrubber Stack

SAMPLE REGISTRATION NO. : 06/SSM(26-27-0395) LOCATION Vent Scrubber for HCL recovery C-502
SAMPLING PLAN & METHOD NO.: As Per Reference Method SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)
SAMPLING DATE : 05/06/2026 STACK HEIGHT FROM GL : 3 Meters
SAMPLING TIME : 15:50:00 SHAPE OF STACK : Round
ANALYSIS START DATE : 07/06/2026 MATERIAL OF STACK : PVDF-FRP
ANALYSIS COMPLETE DATE : 11/06/2026 FUEL USED(CONSUMPTION) : NA

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.3	NA	-
2	C/s area of Stack	m ²	0.071	NA	-
3	Temperature	°C	47	NA	IS 11255 (Part 1)-1985
4	Velocity	m/s	6.6	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	1573.3	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	22.70	NS	IS 11255 (Part 1)- 1985

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per MPCB consent

Note : NA

Analyzed By

Kavita B
Kavita Baviskar
Sr Analyst



For SKYLAB ANALYTICAL LABORATORY

Dr. Datta
Dr. Datta Mandhare
(Authorized Signatory)

END OF REPORT

- This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
- This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
- Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Keva Fragrances Private Limited
C-104 and C-104/1 MIDC Mahad, , Behind MIDC FIRE Station,
Mahad MAHAD Raigad Maharashtra 402309,
Maharashtra

REPORT NO : SAL/MSP19/FM02/06/SSM(26-27-0395)

REPORT DATE : 12/06/2026

CUSTOMER REF : 4350005580

SAMPLE TYPE: Scrubber Stack

SAMPLE REGISTRATION NO. : 06/SSM(26-27-0395)	LOCATION : Vent Scrubber for HCL recovery C-502
SAMPLING PLAN & METHOD NO: As Per Reference Method	SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)
SAMPLING DATE : 05/06/2026	STACK HEIGHT FROM GL : 3 Meters
SAMPLING TIME : 15:50:00	SHAPE OF STACK : Round
ANALYSIS START DATE : 07/06/2026	MATERIAL OF STACK : PVDF-FRP
ANALYSIS COMPLETE DATE : 11/06/2026	FUEL USED(CONSUMPTION) : NA

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Hydrogen Chloride (HCL)	ppm	6.7	35	EPA method 26a

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per MPCB consent

Note : NA

Analyzed By

Kavita B
Kavita Baviskar
Sr Analyst

For SKYLAB ANALYTICAL LABORATORY

Dr. Datta
Dr. Datta Mandhare
(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.

