

ULR:TC51502600014145F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Keva Fragrances Private Limited
 C-104 and C-104/1 MIDC Mahad, , Behind MIDC FIRE Station,
 Mahad MAHAD Raigad Maharashtra 402309,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/06/AM(26-27-0387)

REPORT DATE : 12/06/2026

CUSTOMER REF : 4350005580

REF DATE : 25/05/2024

SAMPLE TYPE: Ambient Air

SAMPLE REGISTRATION NO. : 06/AM(26-27-0387)

SAMPLING PLAN & METHOD NO: As Per Reference Method

SAMPLING DATE : 04/06/2026

SAMPLING TIME : 17:10:00

LOCATION : Near Main Gate

COORDINATES : NA

SAMPLING DURATION : 24 Hrs

SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)

ANALYSIS START DATE : 06/06/2026

ANALYSIS COMPLETE DATE : 11/06/2026

AMBIENT TEMPERATURE : 28°C To 38°C

HUMIDITY : 52% To 62%

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Particulate Matter PM10	µg/m3	72.5	100	IS 5182 (Part-23)- 2006
2	Particulate Matter PM 2.5	µg/m3	36.3	60	IS 5182 (Part 24)- 2019
3	Sulphur Dioxide	µg/m3	10.2	80	IS 5182 (Part 2/sec 1)- 2023
4	Nitrogen Oxides	µg/m3	35.2	80	IS: 5182, (Part-6)- 2006
5	Ozone	µg/m3	BDL (<20)	180	Method 411, Methods of Air Sampling and Analysis, 3rd Edition - 1988
6	Ammonia	µg/m3	25.3	400	Method 401, Methods of Air Sampling and Analysis, 3rd Edition
7	Benzene	µg/m3	BDL (<0.1)	5	IS 5182 (Part 11)
8	Benzo[a]Pyrene	ng/m3	BDL (<1)	1	IS 5182 (Part 12)
9	Lead	µg/m3	BDL (<0.1)	1	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
10	Arsenic	ng/m3	BDL (<1)	6	Method 302, Methods of Air Sampling and Analysis, 3rd Edition
11	Nickel	ng/m3	BDL (<0.5)	20	Method 822, Methods of Air Sampling and Analysis, 3rd Edition- 1988
12	Carbon Monoxide	mg/m3	0.57	2	IS 5182 (Part 10)

ND: Not Detected. NS: Not Specified. #As per NAAQMS Guidelines 2009

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per NAAQMS Guidelines

Note : NA

Analyzed By


Kavita B

Kavita Baviskar

Sr Analyst



For SKYLAB ANALYTICAL LABORATORY



Dr.Datta Mandhare

(Authorized Signatory)

END OF REPORT

ULR:TC515026000014146F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Keva Fragrances Private Limited
 C-104 and C-104/1 MIDC Mahad, , Behind MIDC FIRE Station,
 Mahad MAHAD Raigad Maharashtra 402309,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/06/AM(26-27-0388)

REPORT DATE : 12/06/2026

CUSTOMER REF : 4350005580

REF DATE : 25/05/2024

SAMPLE TYPE: Ambient Air

SAMPLE REGISTRATION NO. : 06/AM(26-27-0388)

SAMPLING PLAN & METHOD NO: As Per Reference Method

SAMPLING DATE : 04/06/2026

SAMPLING TIME : 17:20:00

ANALYSIS START DATE : 06/06/2026

ANALYSIS COMPLETE DATE : 11/06/2026

LOCATION : Near Pump House

COORDINATES : NA

SAMPLING DURATION : 24 Hrs

SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)

AMBIENT TEMPERATURE : 28°C To 38°C

HUMIDITY : 52% To 62%

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Particulate Matter PM10	µg/m3	65.8	100	IS 5182 (Part-23)- 2006
2	Particulate Matter PM 2.5	µg/m3	30.2	60	IS 5182 (Part 24)- 2019
3	Sulphur Dioxide	µg/m3	12.5	80	IS 5182 (Part 2/sec 1)- 2023
4	Nitrogen Oxides	µg/m3	25.2	80	IS: 5182, (Part-6)- 2006
5	Ozone	µg/m3	BDL (<20)	180	Method 411, Methods of Air Sampling and Analysis, 3rd Edition - 1988
6	Ammonia	µg/m3	16.8	400	Method 401, Methods of Air Sampling and Analysis, 3rd Edition
7	Benzene	µg/m3	BDL (<0.1)	5	IS 5182 (Part 11)
8	Benzo[a]Pyrene	ng/m3	BDL (<1)	1	IS 5182 (Part 12)
9	Lead	µg/m3	BDL (<0.1)	1	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
10	Arsenic	ng/m3	BDL (<1)	6	Method 302, Methods of Air Sampling and Analysis, 3rd Edition
11	Nickel	ng/m3	BDL (<0.5)	20	Method 822, Methods of Air Sampling and Analysis, 3rd Edition- 1988
12	Carbon Monoxide	mg/m3	0.53	2	IS 5182 (Part 10)

ND: Not Detected. NS: Not Specified. #As per NAAQMS Guidelines 2009

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per NAAQMS Guidelines


Note : NA

Analyzed By


Kavita Baviskar
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY




Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Keva Fragrances Private Limited
 C-104 and C-104/1 MIDC Mahad, , Behind MIDC FIRE Station,
 Mahad MAHAD Raigad Maharashtra 402309,
 Maharashtra

REPORT NO : SAL/MSP19/FM05/06/ANC(26-27-398B)

REPORT DATE : 12/06/2026

CUSTOMER REF : 4350005580

REF DATE : 25/05/2024

SAMPLE TYPE: 24hrs Ambient Noise

SAMPLE REGISTRATION NO. : 06/ANC(26-27-398B)

SAMPLE COLLECTED BY : Mr. Pramod Sudokar

SAMPLING PLAN & METHOD NO. : IS 9989

SAMPLE LOCATION : Near Main Gate

SAMPLING DATE : 04/06/2026

COORDINATES : NA

Day Time (Hrs.)	Noise Level dB(A)		Hourly Leq
	Min.	Max.	
06.00 to 07.00	50.5	70.2	69
07.00 to 08.00	46.5	84.1	69.4
08.00 to 09.00	52.4	81.1	66.3
09.00 to 10.00	55.2	75.1	69.4
10.00 to 11.00	45.5	103.1	70.2
11.00 to 12.00	50.4	96.2	68.3
12.00 to 13.00	53.5	87.2	66.3
13.00 to 14.00	52.8	85.9	71.6
14.00 to 15.00	49.5	89.1	68.6
15.00 to 16.00	48.2	85.5	66.6
16.00 to 17.00	45.5	87.4	71.6
17.00 to 18.00	48.3	86.7	70.4
18.00 to 19.00	46.2	88	62.5
19.00 to 20.00	45.5	87.8	68.9
20.00 to 21.00	50.6	83.1	67.6
21.00 to 22.00	45.5	69.2	69.3

Night Time (Hrs.)	Noise Level dB(A)		Hourly Leq
	Min.	Max.	
22.00 to 23.00	42.6	65.2	61.8
23.00 to 00.00	48.5	73.7	62.3
00.00 to 01.00	57.1	78.8	62.6
01.00 to 02.00	38.9	73.5	57.5
02.00 to 03.00	38.2	76.8	61.3
03.00 to 04.00	49.4	73.1	58.5
04.00 to 05.00	49.4	70.9	58.8
05.00 to 06.00	45.8	76.2	62.6

Category Zone	Limits in dB(A) Leq	
	Day Time	Night Time
Industrial area	75	70
Commercial area	65	55
Residential area	55	45
Silence Zone	50	40


 13-11-2026

Noise Level Monitoring Report Summary

Time	Min	Max	L10	L50	L90	L _{DN}	LEQ dB(A)
Day Time (06.00 Hrs to 22.00 Hrs)	45.5	103.1	63.5	54.2	44.9	69.4	68.5
Night Time (22.00 Hrs to 06.00 Hrs)	38.2	78.8	59.8	51.4	41.8		60.7

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: Noise Level is meeting requirements as per CPCB Guidelines

Note : NA


Analyzed By

For SKYLAB ANALYTICAL LABORATORY

Neha

Neha

Analyst



Dr. Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Keva Fragrances Private Limited
C-104 and C-104/1 MIDC Mahad, , Behind MIDC FIRE Station,
Mahad MAHAD Raigad Maharashtra 402309,
Maharashtra

REPORT NO : SAL/MSP19/FM05/06/ANC(26-27-398A)

REPORT DATE : 12/06/2026

CUSTOMER REF : 4350005580

REF DATE : 25/05/2024

SAMPLE TYPE: 24hrs Ambient Noise

SAMPLE REGISTRATION NO. : 06/ANC(26-27-0398A)

SAMPLE COLLECTED BY : Mr.Datta Korde(Skylab)

SAMPLING PLAN & METHOD NO. : IS 9989

SAMPLE LOCATION : Near Pump House


SAMPLING DATE : 04/06/2026

COORDINATES : NA

Day Time (Hrs.)	Noise Level dB(A)		Hourly Leq
	Min.	Max.	
06.00 to 07.00	53.5	87.2	58.3
07.00 to 08.00	50.7	97.6	59.6
08.00 to 09.00	53.3	81.1	58.2
09.00 to 10.00	43.8	82.2	56.3
10.00 to 11.00	50.6	83.3	63.6
11.00 to 12.00	54.4	84.6	58
12.00 to 13.00	56.2	85.8	58.8
13.00 to 14.00	42.3	88	58.8
14.00 to 15.00	50.6	79	62.2
15.00 to 16.00	44.4	78.8	58.5
16.00 to 17.00	56.2	94.3	58.4
17.00 to 18.00	45.4	95.1	61.1
18.00 to 19.00	43.2	71.1	59.6
19.00 to 20.00	44.5	86.4	50.5
20.00 to 21.00	51.4	76.9	64.9
21.00 to 22.00	54.7	78.7	61.9

Night Time (Hrs.)	Noise Level dB(A)		Hourly Leq
	Min.	Max.	
22.00 to 23.00	47.9	70.3	49.3
23.00 to 00.00	44.8	72	56.7
00.00 to 01.00	42.4	75.3	54.3
01.00 to 02.00	46.4	66.9	56.4
02.00 to 03.00	44.4	84.8	54.6
03.00 to 04.00	44.7	72.2	48.8
04.00 to 05.00	46.6	75.4	54.9
05.00 to 06.00	40.4	66.6	51.1

Category Zone	Limits in dB(A) Leq	
	Day Time	Night Time
Industrial area	75	70
Commercial area	65	55
Residential area	55	45
Silence Zone	50	40



Noise Level Monitoring Report Summary

Time	Min	Max	L10	L50	L90	L _{DN}	LEQ dB(A)
Day Time (06.00 Hrs to 22.00 Hrs)	42.3	97.6	71.4	63.5	52.4	61.1	59.3
Night Time (22.00 Hrs to 06.00 Hrs)	40.4	84.8	65.8	54.5	46.5		53.3

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: Noise Level is meeting requirements as per CPCB Guidelines

Note : NA

Analyzed By

For SKYLAB ANALYTICAL LABORATORY

Neha
 Sr Analyst


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.